Copyrighted Materials Copyright © 2005 John Wiley & Sons Retrieved from www.knovel.com

Index

<u>Index Terms</u>	<u>L</u>	<u>inks</u>
A		
AC Mains	3	
Frequencies	3	
Voltage	3	
Acronyms. See Appendix		
Air Core. See Core Materials		
Air Gaps. See Magnetics		
Aliasing	66	
Ampere's Law	72	
Average Current-Mode. See Current-Mode		
В		
Ballast, Fluorescent Lighting	12	
Baluns. See Filters		
Bandwidth		
Large Signal vs. Small Signal	7	135
Limitations	142	
Batteries		
"C"	11	
as Loads	10	
as Sources	4	
Charging	11	
Defined	4	
Frequency Characteristics	4	
I-V Characteristics	5	
Self-Discharge	5	
Trickle Charge	11	

Index Terms	<u>Li</u>	<u>nks</u>
Beads. See Filters		
Bipolar Transistor, Power	20	
Baker Clamp	49	
Beta	49	
Emitter-Base Zenering	49	
Leakage	49	
Pulse Current	48	
Temperature	49	
Bode Plots. See Also Loop		
Don't Make Sense. See Loop,		
Non-Minimum Phase System		
Technique	67	
Boost. See Topologies		
Bootstrap Winding. See Startup		
Buck. See Topologies		
Buck-Boost. See Topologies		
C		
Calculators		
Significant Digits	59	
Capacitors	43	
Aging	45	
Aluminum Electrolytic	43	
Ceramic	44	
dV/dt	45	
Electrolytic	43	
ESR	44	191
Life	190	
Limitations	216	
Minimum Value	44	142
Selection Guide	43	
Series Connection	46	

Index Terms	<u>Links</u>	
Capacitors (Cont.)		
Tantalum Electrolytic	43	
Temperature Effects	190	
Tolerance	44	
Types	43	
Values	44	140
Voltage Limitations	45	
X. See EMI		
Y. See EMI		
Comparators		
Hysteresis	57	174
Offsets	57	
Oscillating	174	
Output Saturation Voltage	58	
Compensation. See Loop		
Complex Numbers	122	
Component		
Life	190	
Compound Converters	35	
When to Use Them	36	
Conditional Stability. See Loops		
Continuous Conduction	20	
Buck	23	
EMI	206	
Flyback	27	
Synchronous Rectification	21	
Control Theory. See Loop		
Converters. See Also Topologies		
as Loads for Other Converters	13	
See Also Stability, Multiple Converters		
Compound. See Compound Converters		
Continuous vs. Discontinuous	20	206

<u>Index Terms</u>	<u>I</u>	<u> Links</u>
Converters. See Also Topologies (Cont.)		
Current-Mode	22	
Duty Cycle Limits	18	
Efficiency. See Efficiency		
High-Speed Requirements	7	
Isolation	19	
Low-Noise	8	
Modules	180	191
Number of Outputs	19	
Paralleling	2	171
Quasi-Resonant. See Soft-Switching		
Converters		
Resonant. See Resonant Converters		
Soft-Switching. See Soft-Switching		
Converters		
Step-Down	18	
Step-Up	18	
Synchronous Rectification	20	
Voltage-Mode	22	
Core Materials	80	88
Air	81	
Curie Temperature	82	
Ferrite	81	
High Perm	89	
Losses	82	
Molyperm	81	
MPP	81	
Powdered Iron	81	
Saturation	80	
Selecting	88	
Steel Laminations	81	
Current Fed Push-Pull. See Topologies		

<u>Index Terms</u>	<u>Li</u>	<u>nks</u>	
Current Limiting	170		
Current-Mode	22	138	149
Average	152		
Limitations	150		
Slope Compensation	150		
Necessity Of	152		
Stability Requirement	153		
Subharmonic Oscillation	151		
D			
dB	121		
DC Inductor. See Magnetics			
Decibels	121		
Differential Amplifiers	175	176	
Error Estimate	177		
Diodes	47		
Forward Voltage	111		
Germanium	47		
MOSFET body	48		
MOSFETs as	47		
Noise	205	206	
Paralleling	47		
Reverse Recovery	47		
Reverse Recovery Time	48		
Schottky	46		
High Voltage	47		
Discontinuous Conduction	20		
Buck	23		
EMI	206		
Flyback	27		
DMMs. See Meters			

Index Terms	<u>Links</u>	
Duty Cycle		
Limits	18	134
DVMs. See Meters		
_		
E		
Efficiency	179	
Definition	179	
Good	180	
Improvement	189	
Measurement	63	
Modules	180	
Power Stage	179	
Electromagnetic Interference. See EMI		
Electronic Loads		
Minimum Input Voltage	66	
Stability	65	
EMI		
"X" Caps	214	
"Y" Caps	214	216
Buck	19	
Common Mode	201	202
Separating from Normal Mode	203	
Conducted	200	
Current Monitoring	175	
Definitions	199	
Differential Mode. See Normal Mode		
Diodes	48	
Effects of Topology	19	
FCC	203	
Filters. See Filters		
Ground vs. Return	202	
Layout. See Layout		

Index Terms	<u>Links</u>	
EMI (Cont.)		
LISN	203	
Military vs. Commercial	202	
MIL-STD-461	203	
Modules	180	
Noise Estimation	218	
Normal Mode	201	202
Separating from Common Mode	203	
Origins		
Capacitive Coupling	205	
Switching Waveforms	204	
Radiated	200	
Fixes	200	
Resonant Converters	205	
Shields	200	
Material	201	
Soft-Switching Converters	205	
Spectrum	124	
VDE	203	
Error Amplifier. See Loop Compensation		
ESR	44	191
F		
Faraday's Law	72	
FCC. See EMI		
Feedback	168	
See Also Loop		
Feedthroughs. See Filters		
Ferrite Cores. See Core Materials		
Filter Pins	201	
See Also Filters		

Index Terms	<u>Li</u>	<u>nks</u>
Filters		
"X" Caps. See EMI		
"Y" Caps. See EMI		
Component Limitations	216	
Converter Stability	222	
High Frequency	217	
Beads	217	
Feedthroughs	218	
Filter Pins	218	
Low Frequency	212	
Baluns	215	216
Commercial vs. Military	213	
Common Mode	214	
LC, Mathematics	123	125
Limitations	217	
Normal Mode	213	216
Values	214	215
Middlebrook's Criterion	222	
Optimization	219	
Finite Element Analysis	197	
Fluorescent Tubes	12	
Flyback. See Topologies		
Flyback Transformer. See Transformers		
Forward. See Topologies		
G		
Gain Margin. See Loop		
Grounds. See Layout		
Н		
Heatsinks	196	
High-Current Resistors	42	

<u>Index Terms</u>	<u>Links</u>	
I		
ICs		
Temperature	191	
IGBT	20	
Impedance		
Input	155	
Output	158	
Inductance		
Leakage. See Leakage Inductance		
Magnetizing. See Magnetizing Inductance		
Inductors. See Also Magnetics		
Common Mode. See Filters, Low		
Frequency, Baluns		
Limitations	216	
Input Impedance. See Impedance		
Instrumentation Amplifiers. See Differential		
Amplifiers		
Use as Isolator	169	
Isolation		
Achievable Regulation	173	
Requirements	19	
Techniques	168	
J		
JFETs	50	
6121 6		
K		
K-Factor. See Loop		
L		
Lab supplies	2	

Index Terms		<u>Links</u>
Layout		
Component Placement	212	
Current Sense Transformer	210	
EMI	217	
Feedback Lines	211	
Gate Drivers	209	
Ground Islands	209	
Ground Loops	208	
Signal Ground vs. Power Ground	207	
Single Point Ground	208	
Star Ground	208	
Leakage Inductance	79	
in a Forward	30	
LEDs	178	
LISN	203	
Logarithms	121	
LOOP		
Bandwidth Limitations	142	
Bode Plots	129	
Stability	130	
Compensation	138	152
Conditional Stability	134	
Control Theory	128	
Feedback. See Feedback		
Gain Margin	133	
Measurement		
Closed Loop	143	145
Current Loop	152	
How To	146	
If Non-Inverting Pin Isn't Available	149	
Mixer Method	144	
Open Loop	136	147

Index Terms	<u>Li</u>	inks	
LOOP (Cont.)			
Transformer Method	144		
Multiple Converter Stability	159		
Non-Minimum Phase Systems	153		
Phase Boost	140		
Phase Margin	129	130	
How Much?	132		
Worst Case Analysis	227		
Right Half Plane Zero	133	153	
Stability			
How To	135		
Small Signal vs. Large Signal	134		
Stable	132		
Unstable	126	131	
M			
Magnetics. See Also Transformers			
Air Gaps	97		
Making your Own	102		
Minimum	101		
Selecting	100		
Ampere's Law	72		
Analogy with Electronics	75		
core Loss	104		
Dependence on Switching Frequency	106		
Core Materials. See Core Materials			
Core Selection	84	97	98
Core Utilization	33		
Faraday's Law	72		
Fill Factor	90		
Flux Density Calculation	84		
Flux Density Formulae	110		

<u>Index Terms</u>	i	<u>Links</u>
Magnetics. See Also Transformers (Cont.)		
Inductance	73	
Inductor Design	83	
Isolation	116	
Layering	117	
Length per Turn	92	
Manufacturability	115	
Number of Windings	117	
Optimum Design	83	
Permeability	73	74
Potting	117	
Power Loss	92	94
Skin Depth	108	
Insulation Thickness	109	
Specifications	118	
Temperature Rise	94	
Units	74	
Winding Area	90	
Wire		
Insulation	90	
Loss	107	
Resistance	92	
Selection	90	
Magnetizing Inductance	80	114
Measurements. See Loop, etc., or Meters		
Metastability. See Loop, Conditional Stability		
Meters		
Accuracy vs. Precision	61	
Averaging	61	
Bandwidth	62	
Cross-Calibration	63	
Efficiency Measment	63	

<u>Index Terms</u>	Links
Meters (Cont.)	
Filtering	62
MOSFET Measurement	65
Probe Placement	63
Resistance	64
RMS	62
Middlebrook's Criterion. See Filters	
MIL-HDBK-217	192
Modules	
Efficiency	180
Power Rating	191
Thermal	191
Molyperm Cores. See Core Materials	
Monitoring	
Current	175
Compensating Inductance	177
Fail Signal	178
Failure	178
LEDs	178
Negative Voltages	173
Voltage	172
MOSFETs	20
as Rectifiers	47
Bidirectional Conduction	50
Body Diode	48
Capacitive Coupling	206
Conduction Losses	51
Gate Charge	51
Gate Resistors	52
Gate Voltage	
Maximum	52
Logic-Level	51

Index Terms	<u>L</u>	<u>inks</u>
MOSFETs (Cont.)		
Losses	51	181
Measurement	65	
N-Channel vs. P-Channel	50	
Noise	205	206
Rds,on vs. Temperature	182	
Switching Losses	51	
Temperature Calculation	51	195
Thermal Runaway	191	
vs. JFETs	50	
MOVs	216	
MPP Cores. See Core Materials		
MTBF	191	192
See Also Stress Analysis		
Improving	194	
N		
Negative Input Impedance. See Impedance		
Network Analyzer	67	
Gate Waveforms	69	
Nyquist Plots	69	
Problems	130	
Step by Step Instructions	67	
Using	136	
Noise. See Also EMI		
Estimation	218	
Filter	10	
Line	2	
Non-Minimum Phase Systems. See Loop		
Nyquist Plots	69	154

Index Terms Li		<u> Links</u>
O		
Opamps		
Errors, Minimizing	54	
Gain Limitations	54	
Gain-Bandwidth	56	
Input Bias Current	54	
Input Offset Current	53	
Input Offset Voltage	53	
Phase Shift	56	145
Slew Rate	56	134
Open Loop. See Loop		
Optocouplers		
Use as Isolator	169	
Oscilloscopes		
Aliasing	66	
Safety	14	
Output Impedance. See Impedance		
Overcurrent	167	
P		
Permeability. See Magnetics		
PFM	190	
Phase Boost. See Loop		
Phase Margin. See Loop		
Poles		
at the Origin	145	
Defined	123	
Powdered Iron Cores. See Core Materials		
Power Good	172	
Preload	30	179
Push-Pull. See Topologies		

Index Terms	<u>Links</u>	
PWMS		
Problems	137	
R		
Reactance	75	
Reference Voltages	173	
Regulation	173	
Reliability. See Worst Case Analysis		
Reluctance	75	
Remanence	75	
Resistors		
Carbon Comp	38	
Maximum Value	38	142
Power Rating	39	
Pulse Power	40	
Ratios, Selecting	39	
Rheostat	40	
Selection Guide	38	
Shunts	42	
Temperature Coefficient	39	
Tolerance	39	
Trace, Using as	43	207
Types	38	
Values	38	
Voltage Rating	39	
Wire-Wound	38	
Non-Inductive	38	42
Resonant Converters	33	
EMI	205	
Why Not To Use Them	34	
Rheostats	40	
RHPZ. See Loop, Right Half Plane Zero		

Index Terms Links Right Half Plane Zero. See Loop S Safety 13 Lab 15 Oscilloscope 14 Saturation. See Core Materials Schottky Diodes. See Diodes 168 Sequencing Shoot-Through 21 Short Hard vs. Soft 170 Shunts 42 Compensating Inductance 177 Using 64 175 Simulations 161 227 Monte Carlo 228 Sensitivity Analysis 228 Skin Depth. See Magnetics Slow Start. See Soft Start Soft Start 167 Circuit 168 **Soft-Switching Converters** 33 205 **EMI** Why You Should Use Them 34 Solar Cells 6 Stability of Converter Running From 6 **Transfer Function** 128 Stability. See Also Loop EMI Filter. See Filters Making a Converter Oscillate Multiple Converter 159

Index Terms	$\underline{\mathbf{L}}_{\mathbf{i}}$	<u>inks</u>	
Stability. See Also Loop (Cont.)			
System	155		
Startup	165		
Bootstrap Winding	165		
Circuits	166		
Problems	165	168	
Worst Case Analysis	226		
Steel Laminations. See Core Materials			
Stress Analysis	236		
Purpose	226		
Subharmonic Oscillation. See Current-Mode			
Supplies	2		
New vs. Old	2		
Susceptibility. See EMI			
Swinging Choke	30		
Switch Selection	20		
Switching Frequency	171	189	
Maximum	171		
Synchronization	171		
Limits	172		
Synchronous Rectification	21		
Shoot-Through	21	48	218
System Stability. See Stability			
T			
Telephones	11		
Model	11		
Thermal	190		
Component Life	190		
Electrical Analogy	195		
Finite Element Analysis	197		
Heatsinks	196		

<u>Index Terms</u>	<u>Lir</u>	<u>ıks</u>
Thermal (Cont.)		
ICs	191	
Modules	191	
Topologies		
Boost	26	
Buck	22	
Continuous Conduction	23	
Discontinuous Conduction	23	
Gate Drive	23	
Limitations	23	
Buck-Boost	28	
Limitations	29	
Compound Converters. See Compound		
Converters		
Flyback		
Capacitor Limitations	27	
Continuous Conduction	27	
Discontinuous Conduction	27	
Efficiency Calculation	181	
Gain Margin	133	
Isolated	25	
Non-Isolated	25	
Number of Outputs	28	
Power Limits	27	
Right-Half Plane Zero. See Loop		
Forward	29	
Leakage Inductance	30	
Minimum Load	30	
Use as Isolator	169	
Importance of Selection of	17	

Index Terms	<u>Links</u>	
Push-Pull	31	
Current Fed	32	
Deadtime	32	
Voltage-Fed	31	
Quasi-Resonant. See Soft-Switching		
Converters		
Resonant. See Resonant Converters		
Selection Checklist	22	
Soft-Switching. See Soft-Switching		
Converters		
Toroids	78	
Fill Factor	90	
Winding Limits	116	
Trace		
Using as a Resistor	43	207
Transfer Functions		
Closed Loop	126	
Composition Law	126	
Defined	126	
Nonlinear Systems	128	
Transformers. See Also Magnetics		
Coupling	78	
Current	113	
Placement	210	
Flyback	77	95
Fundamental Equation	96	
Forward	110	
Fundamentals	77	
Ideal	76	
Non-Idealities	78	
Optimum Design	83	
Toroids	78	

<u>Index Terms</u>	$\underline{\mathbf{L}}$ i	<u>inks</u>
Transformers. See Also Magnetics (Cont.)		
Turns Ratio Limit	18	
Winding	76	
Transforms	124	
Fourier	124	
Laplace	124	
Transients	200	216
Type I, II & III Amplifiers	139	
V		
VDE. See EMI		
Voltage Fed Push Pull. See Topologies		
Voltage References	173	
Voltage-Mode	22	
\mathbf{W}		
Wire		
Gauge Ratio	116	
Insulation	117	
Maximum Size	115	
Minimum Size	114	115
Selection. See Magnetics		
Worst Case Analysis		
How To	225	
Purpose	225	
Table Evaluation Techniques	230	
vs. RMS	227	
X		
X Caps. See EMI		
Y		
Y Caps. See EMI		

Index Terms

Links

 \mathbf{Z}

Zeroes

Defined 123